

THE UNIVERSITY OF TEXAS AT SAN ANTONIO

Created on: 8/11/2022

Classroom and Laboratory Seating Capacities

<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>
AET Applied Engring & Technology			AR	2.02.16	22	BB	1.01.04	20	BB	3.02.28	66
			AR	2.02.24	20	BB	1.01.04A	24	BB	3.02.30	44
AET	0.102	30	AR	2.03.02B	500	BB	1.01.20D	49	BB	3.03.02	61
AET	0.202	35	AR	2.03.08A	26	BB	1.01.20L1	66	BB	3.03.04	66
AET	0.204	50	AR	2.03.14A	31	BB	1.01.20M	30	BB	3.03.05	5
AET	0.208	30	AR	2.03.18A	48	BB	1.01.20P	10	BB	3.03.14	40
AET	0.210.1	40	AR	2.03.20A	100	BB	2.01.02	302	BB	3.03.16	12
AET	0.210.2	20	AR	2.03.22A	100	BB	2.01.06	280	BB	3.03.20	40
AET	0.212	48	AR	3.01.03A	15	BB	2.01.08B	8	BB	3.03.22	64
AET	0.214	35	AR	3.01.03C	15	BB	2.01.10	125	BB	3.03.24	64
AET	1.102F	26	AR	3.01.07	25	BB	2.01.14	72	BB	3.04.04	44
AET	2.106	14	AR	3.01.11	25	BB	2.01.18	136	BB	3.04.06	71
AET	3.204	8	AR	3.01.18A	45	BB	2.05.04	38	BB	3.04.08	71
AET	3.205C	8	AR	3.01.18B	32	BB	2.06.04	120	BB	3.04.18	95
AET	3.328	18	AR	3.01.18C	20	BB	3.01.02	78	BB	4.01.02H	12
AET	3.346	8	AR	3.01.26	20	BB	3.01.06	65	BB	4.01.06A	10
AR Arts Building & Arts Annex			AR	3.01.28	18	BB	3.01.08	40	BB	4.01.08A	10
			AR	3.01.30A	30	BB	3.01.10	67	BB	4.01.12A	10
AR	1.01.20	8	AR	3.01.30B	18	BB	3.01.12	66	BB	4.01.18H	10
AR	1.01.20G	15	AR	3.01.30F	12	BB	3.01.16	18	BB	4.02.02	18
AR	1.01.20H	3	AR	3.01.30G	14	BB	3.02.06	31	BB	4.02.10	20
AR	1.01.20J	3	AR	3.03.01	24	BB	3.02.14	24	BB	4.02.48	48
AR	1.01.24	20	AR	4.01.06D	10	BB	3.02.14B	12	BB	4.02.68	20
AR	1.01.30	30	AR	4.01.16J	18	BB	3.02.16	36	BB	4.03.26	18
AR	1.01.52	1	BB Business Building			BB	3.02.18	35	BB	4.03.35	12
AR	1.02.06	6				BB	3.02.26	20	BB	4.03.35C	7
AR	2.01.12	20	BB	1.01.02B	30						

THE UNIVERSITY OF TEXAS AT SAN ANTONIO

Created on: 8/11/2022

Classroom and Laboratory Seating Capacities

<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>
BB	4.04.02	30	BSE	4.124A	12	BV	4.350	14	DB	2.222	30
BB	4.04.20	8	BV Buena Vista St Building - DT			COA Coates Chapel			DB	2.228	34
BB	4.06.12	8							DB	2.302	56
BSB Biosciences Building			BV	1.302C	6	COA	120	10	DB	2.304	56
			BV	1.302H	4	COA	125	10	DB	2.306	22
BSB	2.03.10	19	BV	1.312	62	COA	130	10	DB	2.308	24
BSB	3.03.02	60	BV	1.318	53	COA	135	10	DB	2.316	58
BSB	3.03.10	30	BV	1.326	303	CSL Concrete & Soils Lab			DB	3.110	15
BSE Biotechnology, Sciences & Engr			BV	1.328	182	CSL	1.01.02	14	DB	3.206	57
BSE	0.102	34	BV	2.304	100	CSL	1.01.02G	8	DB	3.208	57
BSE	0.104	20	BV	2.306	32	CV	Chaparral Village Apartments		DB	3.214	40
BSE	0.108	20	BV	2.309	32	CV	17.101H	35	DB	3.216	32
BSE	0.230	25	BV	3.304	40	DB Durango Building - DT			DB	3.218	40
BSE	0.304	20	BV	3.306	36	DB	0.206A	50	DB	3.314	24
BSE	0.304	20	BV	3.308	2	DB	0.216	40	DB	3.322B	14
BSE	1.106B	25	BV	3.314	12	DB	0.220A	14	DB	4.112A	12
BSE	1.110	36	BV	3.316	21	DB	1.120A	60	DB	4.122B	10
BSE	1.406	31	BV	3.318	57	DB	1.124	150	DB	4.211	12
BSE	1.408	26	BV	3.324	59	DB	1.124A	32	DB	4.228B	10
BSE	1.412	8	BV	3.326	50	DB	1.204C	26	DB	4.228C	6
BSE	1.632	20	BV	3.328	58	DB	2.202	23	EB Engineering Building		
BSE	2.102	72	BV	3.330	40	DB	2.206	52	EB	1.04.02	22
BSE	2.106M	15	BV	3.338	25	DB	2.208	16	EB	1.04.08	25
BSE	2.110A	12	BV	3.340	35	DB	2.210	32	EB	1.04.10	25
BSE	2.304B3	16	BV	3.348	15				EB	1.04.16	18
BSE	3.106	35	BV	3.350	15				EB	1.04.16A	18
BSE	3.108	32	BV	4.304A	25						

THE UNIVERSITY OF TEXAS AT SAN ANTONIO

Created on: 8/11/2022

Classroom and Laboratory Seating Capacities

<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>
EB	1.04.18	18	FLN	2.01.29	24	FLN	3.02.10	34	FS	3.424	20
EB	1.04.30	20	FLN	2.01.34	28	FLN	3.02.22	20	FS	3.426	22
EB	2.04.02	47	FLN	2.01.40	30	FLN	3.02.46	20	FS	3.510	22
EB	2.04.04	47	FLN	2.01.42	20	FLN	4.01.20	20	FS	3.512	40
EB	2.04.06	130	FLN	2.02.02	112	FLN	4.02.14A	15	FS	3.516	16
EB	2.04.10	32	FLN	2.02.06	72	FLN	4.02.54A	20	FS	3.520	36
EB	2.04.22	32	FLN	2.02.10	119	FS Frio St Building - DT			FS	3.528	36
EB	2.04.23	24	FLN	2.03.06	24				FS	3.530	44
EB	2.04.26A	24	FLN	2.03.08	165	FS	1.406	192	FS	3.536	44
EB	2.04.26B	25	FLN	2.03.11	20	FS	1.512	140	GSR Graduate School and Research		
EB	2.04.30	25	FLN	2.03.12	144	FS	1.522	26	GSR	1.122	28
EB	3.04.30	45	FLN	3.01.04	24	FS	2.402	24	GSR	1.128	40
EB	3.04.62	20	FLN	3.01.06	36	FS	2.406	16	GSR	1.204F	36
EB	3.04.64	36	FLN	3.01.14	30	FS	2.448	83	GSR	1.218	20
EB	3.04.66	28	FLN	3.01.34	30	FS	2.506	20	GSR	1.220B.15	25
EB	3.04.68	20	FLN	3.01.36	20	FS	2.508	24	ITC Institute of Texan Cultures		
EB	3.04.70	40	FLN	3.01.40	16	FS	2.512	32	ITC		
FLN Peter T. Flawn Building			FLN	3.01.42	16	FS	2.518	65	ITC	1.01.01	40
			FLN	3.01.46	20	FS	2.520	64	JPL John Peace Library Building		
FLN	1.03.02E	27	FLN	3.01.48	20	FS	2.532	44	JPL	2.01.08E	40
FLN	1.03.58D	8	FLN	3.01.50	16	FS	2.534	44	JPL	2.01.12C	27
FLN	2.01.02	44	FLN	3.01.54	24	FS	3.402	40	JPL	3.01.54	20
FLN	2.01.08	16	FLN	3.02.01	45	FS	3.404	20	JPL	3.02.32	24
FLN	2.01.12	265	FLN	3.02.02	112	FS	3.406	33	JPL	3.02.32A	26
FLN	2.01.20	41	FLN	3.02.07	76	FS	3.412	32	JPL	3.02.34	30
FLN	2.01.24	20	FLN	3.02.08	36	FS	3.418	23			
FLN	2.01.28A	26				FS	3.422	18			

THE UNIVERSITY OF TEXAS AT SAN ANTONIO

Created on: 8/11/2022

Classroom and Laboratory Seating Capacities

<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>
JPL	3.02.38	38	MB	1.104	26	MCB	McAllister Ceramics Building	SW	MH	3.01.18	78
LV	Laurel Village		MB	1.120	48				MH	3.01.28	47
			MB	1.122	48	MCB 100			MH	3.02.04	10
LV	9.113	45	MB	1.124	48	MCB 110			MH	3.02.04A	24
MB	Main Building		MB	1.126	48	MCB 140			MH	3.02.18	58
			MB	1.202	15	MH	McKinney Humanities		MH	3.02.22	25
MB	0.104	456	MB	1.206	32			MH	2.01.02	27	MH
MB	0.106	245	MB	1.208	20	MH	2.01.04	41	MH	3.02.26	40
MB	0.204	14	MB	1.304	30	MH	2.01.06	115	MH	3.02.30	49
MB	0.208	56	MB	2.104	10	MH	2.01.08	24	MH	3.02.32	26
MB	0.212	98	MB	2.212A	8	MH	2.01.10	170	MH	3.02.38	30
MB	0.218	6	MB	2.220	18	MH	2.01.12	230	MH	3.02.40	38
MB	0.222	88	MB	2.304B	12	MH	2.01.24	170	MH	3.02.42	17
MB	0.224	56	MB	2.312A	17	MH	2.01.30	114	MH	3.02.48	35
MB	0.226	56	MB	2.314B	17	MH	2.01.32	105	MH	3.02.50	22
MB	0.302	93	MB	2.316	20	MH	2.01.36	178	MH	3.02.52	22
MB	0.306	38	MB	2.404	30	MH	2.01.40	160	MH	3.03.06	35
MB	0.310	7	MB	3.112	15	MH	2.01.44	105	MH	3.03.08	29
MB	0.320	28	MB	3.112A	15	MH	2.02.04	68	MH	3.03.10	38
MB	0.326	40	MB	3.304A	14	MH	2.02.06	40	MH	3.03.12	28
MB	0.328	24	MB	3.308	20	MH	2.02.10	63	MH	3.03.14	40
MB	0.330	42	MB	3.448	8	MH	2.02.16	65	MH	3.03.16	40
MB	0.410	55	MB	4.106	22	MH	2.02.20	44	MH	3.03.18	45
MB	0.414	45	MB	4.122Q	18	MH	3.01.05	10	MH	3.03.20	34
MB	1.101	26	MBT	Margaret B Tobin Laboratory		MH	3.01.06	23	MH	3.04.06	48
MB	1.102	26			MH	3.01.16	28	MH	3.04.08	60	
MB	1.103	26	MBT	1.102	49						

THE UNIVERSITY OF TEXAS AT SAN ANTONIO

Created on: 8/11/2022

Classroom and Laboratory Seating Capacities

<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>
MH	3.04.10	60	MNT	1.112	48	MS	2.02.02	40	NEG	Negley Building	
MH	3.04.12	60	MNT	1.116	24	MS	2.02.11	15			SW
MH	3.04.14	55	MNT	1.120	12	MS	2.02.12	36	NEG	150	10
MH	3.04.20	48	MNT	1.122L	20	MS	2.02.18X	15	NEG	235	10
MH	3.04.22	60	MNT	2.220	48	MS	2.02.19	25	NEG	240	10
MH	3.04.26	57	MNT	2.240	20	MS	2.02.20	30	NEG	250	10
MH	3.04.28	47	MNT	2.250	48	MS	2.02.52	48	NEG	255	10
MH	4.01.23E	10	MNT	2.260G	20	MS	2.02.53	40	NEG	260	10
MH	4.02.04	12	MNT	2.270S	10	MS	2.02.54	30	NEG	265	10
MH	4.02.34	14	MNT	3.210	17	MS	2.02.55	40	NPB	North Paseo Building	
MH	4.02.40	20	MNT	3.220	48	MS	2.03.08	48			
MH	4.03.40	8	MNT	3.240	40	MS	2.03.10	42	NPB	1.102	25
MH	4.04.12	7	MNT	3.310	8	MS	2.03.18	30	NPB	1.106	25
MH	4.04.26	23	MNT	3.350	60	MS	3.01.02B	6	NPB	1.110	25
MH	4.04.58	10	MNT	4.400K	16	MS	3.02.14	24	NPB	1.114	25
MH	4.04.60	6	MNT	4.400R	16	MS	3.02.16	24	NPB	1.118	25
MH	4.05.30C	10	MNT	4.410	36	MS	3.02.22	24	NPB	1.122	25
MNT	Monterey Building - DT		MNT	4.420	48	MS	3.02.30	24	NPB	1.126	25
			MNT	4.430	33	MS	3.02.34	24	NPB	1.130	25
MNT	1.102	48	MNT	4.450A	8	MS	3.02.36	20	NPB	1.202	75
MNT	1.103A	80	MNT	4.470	16	MS	3.02.44	21	NPB	1.226	50
MNT	1.103A9	24	MNT	4.470P1	15	MS	3.02.52	22	NPB	1.236	28
MNT	1.103B	72	MS	Multidisciplinary Studies Bldg		MS	3.02.54	26	NPB	1.238	60
MNT	1.103B10	8	MS	1.03.14	12	MS	4.01.50	16	NPB	1.250	48
MNT	1.103B7	24	MS	2.01.06	32	MS	4.02.64	24	NPB	1.252	28
MNT	1.103B8	27	MS	2.01.08	16	MS	4.03.42	26	NPB	2.112	12
MNT	1.106	48							NPB	2.132	21

THE UNIVERSITY OF TEXAS AT SAN ANTONIO

Created on: 8/11/2022

Classroom and Laboratory Seating Capacities

<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>	<u>Bldg</u>	<u>Room#</u>	<u>Seating Capacity</u>
NPB	3.108A	31	SAN	280	12	SEB	2.156D	24	TOB	290	2
NPB	4.140	30	SCG	Sculpture & Ceramics Graduate		SEB	2.158	24	TOB	295	4
PDS	Power & Dynamics Laboratory		SCG	1.228	18	SEB	2.168	24	UAB	Urschel Administration	SW
PDS	1.102	37	SEB	Science and Engineering Bldg		SEB	2.170A	24	UAB	200	10
RWC	Recreation/Wellness Center		SEB	1.150E	3	SEB	2.172	24	UC	University Center	
RWC	1.806	35	SEB	1.150F	12	SEB	2.178	24	UC	2.02.02	356
RWC	2.218	76	SEB	1.150G	16	SEB	3.108	24	UC	2.02.04	20
S&C	Sculpture/Ceramics Building		SEB	1.150H	40	SEB	3.110B	24	UC	2.02.12	35
S&C	1.01.02A	25	SEB	1.150I	8	SEB	3.112B	24	UC	2.212	96
S&C	1.01.04A	25	SEB	1.150J	8	SEB	3.116	24	UC	2.214	34
SAN	Santikos Building	SW	SEB	1.150K	6	SEB	3.140C	16	YMC	YMCA Building Navarro - SW	SW
SAN	104	12	SEB	1.150L	4	SEB	3.142B	16	YMC	110	12
SAN	110	12	SEB	1.150M	4	SEB	3.144B	16	YMC	130A	10
SAN	130	12	SEB	1.150N	4	SEB	3.146	60	YMC	130B	10
SAN	140	12	SEB	1.150O	4	SEB	3.156	24	YMC	130C	10
SAN	150	100	SEB	1.150P	4	SEB	3.162	24	YMC	130D	10
SAN	170	12	SEB	1.150Q	6	SEB	3.172	24	YMC	130E	10
SAN	180	10	SEB	1.150R	205	TOB	Tobin Building	SW	YMC	162	10
SAN	210	12	SEB	1.150S	10	TOB	171	6			
SAN	220A	12	SEB	1.150T	18	TOB	172	1			
SAN	230	10	SEB	2.106	60	TOB	173	6			
SAN	240	18	SEB	2.108	24	TOB	176	6			
SAN	250	22	SEB	2.110	27	TOB	180	6			
			SEB	2.112	24	TOB	185	12			
			SEB	2.116C	24	TOB	280	10			
			SEB	2.118	24	TOB	285	10			
			SEB	2.148	24						
			SEB	2.150A	24						
			SEB	2.156A	24						
			SEB	2.156B	24						